



# MATERIAL SAFETY DATA SHEET

(According to 2001/58/EC)

Product : FLAVISCREEN HCV PLUS

## 1 INFORMATION OF THE SUBSTANCE/PREPARATION AND COMPANY

- 1.1 Product name Catalogue No. FLAVISCREEN HCV PLUS 402170050
- Kit components Test device  
Sample running buffer
- 1.2 Intended use In Vitro Diagnostic Use.
- 1.3 Company Qualpro Diagnostics  
Plot No. 88/89, Phase II C,  
Verna Industrial Estate,  
Verna, Goa 403 722  
INDIA  
Telephone : +91-832-6682000  
Fax : +91-832-2783139  
E-mail : [qualpro@sancharnet.in](mailto:qualpro@sancharnet.in)
- 1.4 In emergencies Call your local emergency center

## 2 COMPONENTS AND HAZARDOUS INGREDIENTS

| Kit Component         | HAZARDOUS INGREDIENT                  | CLASSIFICATION SUBSTANCE | EINECS NR. |
|-----------------------|---------------------------------------|--------------------------|------------|
| Sample running buffer | 0.1% Sodium azide (NaN <sub>3</sub> ) | T+;R28-32<br>N;R50-53    | 247-852-1  |
| Test device           | material from animal origin           |                          |            |

Corporate Office: Tulip Group Corporate Office, Tulip block, Dr Antonio Do Rego Bagh, Alto Santacruz, Bambolim Complex Post Office, Goa - 403 202, INDIA Tel : (0832) 2458546 - 51 FAX : (0832) 2458544, E-mail: [tulip@sancharnet.in](mailto:tulip@sancharnet.in) Website: <http://www.tulipgroup.com>

Works : Plot Nos 88/89, Phase II C, Verna Industrial Estate, Verna, Goa - 403 722, INDIA.  
Tel : (0832) 6682000 Fax : (0832) 2783139 E-mail : [qualpro@sancharnet.in](mailto:qualpro@sancharnet.in)

